

GARDEN GATE MOTORS

added value in your living space





FOR COMFORT AND SAFETY OF ANYTHING YOU CARE IN YOUR LIFE



We always ask ourselves this question: How can we provide both comfort and safety at the same time? Yes, in fact, comfort and safety are two conflicting words... But we ourselves create miracles with these two words... just with some knowledge, intelligence and ability... which are our key words en route to serve humanity. With these key words, we fit comfort and safety into a frame and here emerges White Rose. We, as White Rose, questioning continuously, have rendered our products suitable for people, not the other way around.

What are their needs, how can we assist them in their daily life? First, we discussed all these questions with our professional team and then we could answer them observing the needs of our people.

Thus, under three titles, we made use of our cutting-edge technology for humans comfort and safety. With our Industrial Automation, Urban Automation and Home Automation products we obtained answers of our questions and so we became an unrivaled company in Turkey, ranking among leading companies in the World. Thanks for deciding to get familiar with advanced technology we offer.



YOU JUST ENJOY YOURSELF, WE DO THE REST.



WHAT ARE GARDEN GATE MOTORS?



WE BRING YOU TO THE TOP OF THE COMFORT YOU DESERVE.

People can enjoy the life as long as they feel comfortable. For that reason, we produced Garden Gate Motors. A comfort like when you leave for work, your servant opens the door for you. Capable to open and close in a short time, Garden Gate Motors never waste your time, they even save you time thanks to their upon exit automatic closing feature. In case of blackouts, thanks to manual actuation capability, you can open and close your gate without difficulty. Even in unfavorable weather conditions, Garden Gate Motors never let you down. Thanks to their robust outer casing, they can be used for many years. All these will be more than enough for bringing your comfort to the top level.



YOU WILL BE FASCINATED WITH OUR TECHNOLOGY



● Signalization Lamp ● Garden Gate Motor ● Safety Photocell ● Safety Pneumatics ● Rear Safety Photocell

LET THE COMFORT OF YOUR GARDEN REFLECT INSIDE

Reviewing all types of our Garden Gate Motors products helps you find solutions for all your needs. Therefore, we kindly invite you to visit our web site.

www.whiterose.com.tr



WHAT WE OFFER: TOP-LEVEL SAFETY











ACTIVE SERIES

practical plug and go

Designed to be easily installed and maintenance—free, Active motor is a durable and safe product.

Manufactured using advanced technology. Robustly designed, with high pressure forming plastic components and special—alloy sub—chassis.








front view








product details






		(NEW))		
Type	AC 600	AC 600 S	AC 1000	DC 400	
Maximum gate weight	600 Kg	600 Kg	1000 Kg	400 Kg	
Protection rating	IP54				
Power supply	230 V 50/60 Hz				
Motor voltage	230 V 50/60 Hz			24 V	
Control unit	RDV 16 / OHM70	HAY 5	RDV 16 / OHM71	H-TECH 71	
Current draw	1 A	2.1 A	2 A	10 A max	
Maximum power	280 W	500 W	550 W	380 W	
Opening time	10m/dk	20m/dk	10m/dk	12m/dk	
Maximum torque	58 Nm	73 Nm	103 Nm	40 Nm	
Continuously of operation	75%	75%	75%	100%	
Pulling power	700 N	950 N	2100 N	680 N	
Limit switch type	Electromechanical				
Pinion module	4 (Z18)				
Pinion rotation speed	46rpm	92rpm	46rpm	46rpm	
Slow Down	Not available	Available	Not available	Available	
Manual use	With personal key				
Working temperature	-20°C min +70°C max				
Motor weight	9,6 Kg	12 Kg	12 Kg	7,8 Kg	

YOU'LL NOT LEAVE WITH THE FEELING OF SOMETHING LEFT UNDONE

Reviewing all types of our Garden Gate Motors products helps you find solutions for all your needs. Therefore, we kindly invite you to visit our web site.









JET SERIES

high level performance

Jet Motor is an industrial type motor, designed to avoid wasting time at gate, for high security requiring places e.g. military, police, business centers and factory entrances where assassination attempt is a matter of concern. Being developed for intensive use, JET motors endure non-stop operation which is unlikely to be obtained from standard motors.



side view



front view





rear view





product details





Measures in "mm"	Jet 2000	Jet 3000	Jet 4000	
Α	175	214		
В	434	500		
С	442	498		
D	250	283		
E	142	158		
F	184	200		
G	102	119		
Н	300	352		

Туре	JET2000	JET3000	JET4000		
Maximum gate weight	2000 Kg	3000 Kg	4000 Kg		
Protection rating					
Power supply	230 V 50/60 Hz				
Motor voltage	380 V 50/60 Hz				
Control unit	GA PLUS				
Current draw	3 A 4,3 A		5,9 A		
Maximum power	750 W 1100 W		1500 W		
Opening time	Speed Control - 12 m/min - 40 m/min				
Maximum torque	77 Nm 112 Nm		154 Nm		
Continuously of operation	100%				
Pulling power	3200 N 3800 N 4450 N				
Limit switch type	Electromechanical				
Pinion module	4 (Z18)				
Pinion rotation speed	Average 93 rpm				
Slow Down	Adjustable				
Manual use	With personal key				
Working temperature	-20°C min +70°C max				
Motor weight	21,6 Kg 40 Kg 40 Kg				

LET THE COMFORT OF YOUR GARDEN REFLECT INSIDE

Reviewing all types of our Garden Gate Motors products helps you find solutions for all your needs. Therefore, we kindly invite you to visit our web site.

www.whiterose.com.tr





WE RENDER JET SERIES ADAPTABLE TO YOUR LIFE.

JET SERIES

With serial options capable to actuate your lightweight or heavy tonnage gates according to your needs, Jet motor series works completely in tune with you. And, in case you prefer its auto closing function enabled, your gate closes after vehicle exits, even if you forget to close it. So, it doesn't leave you feeling something left undone.



With its **Auto** Closing feature, it does not forget, even if you forget.



TORK SWING GATE MOTOR

smart technology



With microprocessor control panel designed by our engineers, Tork Swing Gate Motor ensures an easy and safe use. Tork Swing Gate Motor can identify opening and closing distances automatically.



side view



top view





front view







product details









Туре	TORK SWING GATE MOTOR
Power Supply	230V AC 50-60 Hz
Maximum Torque / Nm	480
Average Current / A	1
Capacitor	8 µf
Opening Time 90°/s	16
Ambient Temperature / °C	-20 +70
Continuously of operation / %	50
Protection Rating /IP	54

YOU'LL NOT LEAVE WITH THE FEELING OF SOMETHING LEFT UNDONE

Reviewing all types of our Garden Gate Motors products helps you find solutions for all your needs. Therefore, we kindly invite you to visit our web site.



www.whiterose.com.tr



BEST OPTION WE OFFER

		000	(1000	is evizor	
	ACTIVE.	AC 600 ACTIVE	ACTIVE ACTIVE	AC 100 JET SERVE	S TORKE MY OF
Maximum Gate Weight	600 kg	600 kg	1000 kg	2000+ kg	<i>⊙</i> ′ 500 kg
Protection Rating	IP54	IP54	IP54	IP54	IP54
Typical Opening/Closing	\	_	/	-	✓
Fast Opening/Closing	-	\	-	\checkmark	-
Continuously of operation	75%	75%	75%	100%	50%
Slow Down in Opening and Cl	osing -	✓	-	\checkmark	√
Manual Use	\checkmark	/	✓	<u> </u>	✓
Warning Lamp	✓	/	/	<u> </u>	✓
Front Safety Photocell	\checkmark	✓	\checkmark	\checkmark	\checkmark
Rear Safety Photocell	0	0	0	0	✓
Safety Pneumatics	0	0	0	0	0
Auto Closing	✓	✓	\checkmark	✓	\checkmark
Jam Detection	✓	✓		✓	\checkmark

SYMBOLS and DESCRIPTIONS

- √ This Feature is Available
- o This Feature is Optional
- This Feature is Not Available



WE
DEVELOP
SMARTER

TECHNOLOGIES

FOR YOU



Please Note: This brochure may contain typological errors or inaccuracies due to further modifications in product features. Some equipment illustrated or described here at the moment may be available at an additional fee. Before placing an order please get in touch with your authorized White dealer to provide you with the latest information. The manufacturer reserves the right to make changes to prices, colors, materials, specifications and models at any time, without notice.

WWW.WHITEROSE.COM.TR



Please read for the product

